


4021.SD BRACKET

## FRONT VIEW



LOAD CHART	₹T
ULTIMATE COMPRESSION CAPACITY	67,400 LBS
ALLOWABLE COMPRESSION CAPACITY (S.F. = 2)	33,700 LBS
MAXIMUM LATERAL LOAD CAPACITY	CALC. REQ'D
MAXIMUM TENSION CAPACITY	CALC. REQ'D

## NOTES:

TOP VIEW

- 1. POLYETHYLENE COPOLYMER THEMOPLASTIC COATING PER ICC-ES AC228.
- 2. MANUFACTURER TO HAVE IN EFFECT INDUSTRY RECOGNIZED WRITTEN QUALITY CONTROL FOR ALL MATERIALS AND MANUFACTURING PROCESSES.
- 3. ALL WELDING IS TO BE DONE BY WELDERS CERTIFIED UNDER SECTION 5 OF THE AWS CODE D1.1.
- THE CAPACITY OF THE UNDERPINNING SYSTEM IS A FUNCTION OF MANY INDIVIDUAL OF THE INSTALLATION OF THE PILE. YOUR ACHIEVABLE CAPACITIES COULD BE UNBRACED LENGTH, PIER SHAFT, HELICAL PLATE, AND BEARING STRATA, AS WELL ELEMENTS, INCLUDING THE CAPACITY OF THE FOUNDATION, BRACKET, DESIGN HIGHER OR LOWER THAN THOSE LISTED DEPENDING ON THE ABOVE FACTORS AS THE STRENGTH OF THE FOUNDATION BRACKET CONNECTION AND THE QUALITY

